Pain, 51 (1992) 391–393
© 1992 Elsevier Science Publishers B.V. All rights reserved 0304-3959/92/$05.00

Author Index to Volume 51 (1992)

Abad, F., see Feria, M. (51) 101
Abbott, F.V., see Guy, E.R. (51) 81
Abreu, P., see Feria, M. (51) 101
Affleck, G., Urrows, S., Tennen, H. and Higgins, P.
Daily coping with pain from rheumatoid arthritis: patterns and correlates (51) 221
Akil, H., see Gutstein, H.B. (51) 241
Andersson, S.A., see Widerström, E.G. (51) 281
Arendt-Nielsen, L., see Brennum, J. (51) 27
Ashby, M.A., Fleming, B.G., Brooksbank, M., Rounsefell, B., Runciman, W.B., Jackson, K., Muirden, N. and Smith, M.
Description of a mechanistic approach to pain management in advanced cancer. Preliminary report (51) 153
Åslund, P.G., see Widerström, E.G. (51) 281

Babul, N. and Darke, A.C.
Putative role of hydromorphone metabolites in myoclonus (51) 260
Bach, F.W., Langemark, M., Secher, N.H. and Olesen, J.
Plasma and cerebrospinal fluid β-endorphin in chronic tension-type headache (51) 163
Bédard, M., see Cott, A. (51) 49
Bennett, G.J., see Gracely, R.H. (51) 175
Bennett, S.
Comments on *PAIN*, 48 (1992) 61–71 (51) 259
Berge, O.-G., see Mjellem-Joly, N. (51) 195
Berge, O.-G., see Tjølsen, A. (51) 5
Besson, J.-M., see Clavier, N. (51) 259
Bjerring, P., see Brennum, J. (51) 27
Bovim, G. and Sand, T.
Cervicogenic headache, migraine without aura and tension-type headache. Diagnostic blockade of greater occipital and supraorbital nerves (51) 43
Bovim, G.
Cervicogenic headache, migraine, and tension-type headache. Pressure-pain threshold measurements (51) 169
Brennum, J., Arendt-Nielsen, L., Secher, N.H., Jensen, T.S. and Bjerring, P.
Quantitative sensory examination in human epidural anaesthesia and analgesia: effects of lidocaine (51) 27
Bronstein, D.M., see Gutstein, H.B. (51) 241
Brooksbank, M., see Ashby, M.A. (51) 153
Brown, A.C., see Ramsay, D.S. (51) 367

Campbell, J.N., see Meyer, R.A. (51) 323
Carlsson, S.G., see Widerström, E.G. (51) 281
Cervero, F., Laird, J.M.A. and Pozo, M.A.
Selective changes of receptive field properties of spinal nociceptive neurones induced by noxious visceral stimulation in the cat (51) 335
Cervero, F.
Not all pain is in the spinal cord (51) 262
Chabal, C., see Mariano, A.J. (51) 119
Chandler, M.J., see Fu, Q.-G. (51) 91
Chaney, E.F., see Mariano, A.J. (51) 119
Christiansen, J.
Comments on Swerdlow and Dieter, *PAIN*, 48 (1992) 205–213 (51) 125
Clavier, N., Lombard, M.C. and Besson, J.-M.
Reply to S. Bennett (51) 259
Copp, L.A., see Wilkie, D.J. (51) 231
Cott, A., Parkinson, W., Fabich, M., Bédard, M. and Marlin, R.
Long-term efficacy of combined relaxation: biofeedback treatments for chronic headache (51) 49
Cramond, T., Smith, M.T. and Watt, J.A.
Comments on Gong et al., Pain, 48 (1992) 249–255 (51) 124

Dan, K., see Higa, K. (51) 111
Darke, A.C., see Babul, N. (51) 260
Davis, K.D., see Meyer, R.A. (51) 323
De Benedittis, G. and Lorenzetti, A.
The role of stressful life events in the persistence of primary headache: major events vs. daily hassles (51) 35
De Jong, P.C. and Kansen, P.J.
Comments on *PAIN*, 49 (1992) 293–300 (51) 263
Devulder, J.
Is Octreotide a safe drug? (51) 261
Dieter, J.N.I., see Swerdlow, B. (51) 126
Dodd, M.J., see Wilkie, D.J. (51) 231
Dougherty, L.M., see Wade, J.B. (51) 67
Du Pen, S.L.
Reply to de Joneg and Kansen (51) 264
Dworkin, S.F., see LeResche, L. (51) 289

Edwards, L.C., Pearce, S.A., Turner-Stokes, L. and Jones, A.
The Pain Beliefs Questionnaire: an investigation of beliefs in the causes and consequences of pain (51) 267
Ehrlich, K.J., see LeResche, L. (51) 289
Evans, R.J., see Watson, C.P.N. (51) 375

Fabich, M., see Cott, A. (51) 49
Feria, M., Sánchez, A., Abad, F. and Abreu, P.
Effects of selective neurotoxic lesion of lumbosacral serotonergic and noradrenergic systems on autotomy behaviour in rats (51) 101
Fleming, B.G., see Ashby, M.A. (51) 153
Foreman, R.D., see Fu, Q.-G. (51) 91
Franklin, K.B.J., see Matthies, B.K. (51) 199
Fu, Q.-G., Chandler, M.J., McNeill, D.L. and Foreman, R.D.
Vagal afferent fibers excite upper cervical neurons and inhibit activity of lumbar spinal cord neurons in the rat (51) 91

Gebhart, G.F.
Comments on the isobole method for analysis of drug interactions (51) 381
Gebhart, G.F., see Meller, S.T. (51) 317
Gellman, H., Keenan, M.A.E., Stone, L., Hardy, S.E., Waters, R.L. and Stewart, C.
Reflex sympathetic dystrophy in brain-injured patients (51) 307
Gordh, Jr., T., see Kristensen, J.D. (51) 249
Gourlay, G.K., see Plummer, J.L. (51) 387

Gracely, R.H., Lynch, S.A. and Bennett, G.J.
Painful neuropathy: altered central processing maintained dynamically by peripheral input (51) 175
Gregory, R.E., Grossman, S. and Sheidler, V.R.
Grand mal seizures associated with high-dose intravenous morphine infusions: incidence and possible etiology (51) 255
Groenman, N.H., see Lousberg, R. (51) 75
Grossman, S., see Gregory, R.E. (51) 255
Gustafsson, L.-E., see Widerström, E.G. (51) 281
Gutstein, H.B., Bronstein, D.M. and Akil, H.
β-Endorphin processing and cellular origins in rat spinal cord (51) 241
Guy, E.R. and Abbott, F.V.
The behavioral response to formalin in preweanling rats (51) 81

Hardy, S.E., see Gellman, H. (51) 307
Hart, R.P., see Wade, J.B. (51) 67
Hedner, T.
Reply to Cramond et al. (51) 125
Higa, K., Noda, B., Manabe, H., Sato, S. and Dan, K.
T-lymphocyte subsets in otherwise healthy patients with herpes zoster and relationships to the duration of acute herpetic pain (51) 111
Higgins, P., see Affleck, G. (51) 221
Hole, K., see Mjellem-Joly, N. (51) 195
Hole, K., see Tjølsen, A. (51) 5
Humphrey, E., see Nahin, R.L. (51) 135
Hunskaar, S., see Tjølsen, A. (51) 5
Hylden, J.L.K., see Nahin, R.L. (51) 135

Ivankovich, A.D., see Tanck, E.N. (51) 313

Jackson, K., see Ashby, M.A. (51) 153
Jacobson, L., see Mariano, A.J. (51) 119
Jensen, M.P., Turner, J.A. and Romano, J.M.
Chronic pain coping measures: individual vs. composite scores (51) 273
Jensen, T.S., see Brennum, J. (51) 27
Jones, A., see Edwards, L.C. (51) 267

Kansen, P.J., see De Jong, P.C. (51) 263
Katz, J., Kavanagh, B.P. and Sandler, A.N.
Does pre-operative fentanyl administration influence postoperative analgesia? (51) 123
Kavanagh, B.P., see Katz, J. (51) 123
Keefe, F.J., Salley, Jr., A.N. and Lefebvre, J.C.
Coping with pain: conceptual concerns and future directions (51) 131
Keefe, F.J., see Wilkie, D.J. (51) 231
Keenan, M.A.E., see Gellman, H. (51) 307
Kilian, M., see Kiss, I.E. (51) 124
Kiss, I.E. and Kilian, M.
Reply to Katz et al. (51) 124
Koltzenburg, M., Lundberg, L.E.R. and Torebjörk, H.E.
Dynamic and static components of mechanical hyperalgesia in human hairy skin (51) 207
Kristensen, J.D., Svensson, B. and Gordh, Jr., T.
The NMDA-receptor antagonist CPP abolishes neurogenic 'wind-up pain' after intrathecal administration in humans (51) 249
Kroin, J.S., see Penn, R.D. (51) 261
Kroin, J.S., see Tanck, E.N. (51) 313

Laird, J.M.A., see Cervero, F. (51) 335
Langemark, M., see Bach, F.W. (51) 163
Lefebvre, J.C., see Keefe, F.J. (51) 131
LeResche, L., Dworkin, S.F., Wilson, L. and Ehrlich, K.J.
Effect of temporomandibular disorder pain duration on facial expressions and verbal report of pain (51) 289
Levine, J.D., see Miaskowski, C. (51) 383
Levitt, M., Ovelmen-Levitt, J., Rossitch, Jr., E. and Nashold, Jr., B.S.
On the controversy of autotomy: a response to L. Kruger (51) 120
Lichtman, A.H., Smith, P.B. and Martin, B.R.
The antinociceptive effects of intrathecally administered cannabinoids are influenced by lipophilicity (51) 19
Lombard, M.C., see Clavier, N. (51) 259
Lorenzetti, A., see De Benedittis, G. (51) 35
Lousberg, R., Schmidt, A.J.M. and Groenman, N.H.
The relationship between spouse solicitousness and pain behavior: searching for more experimental evidence (51) 75
Lund, A., see Mjellem-Joly, N. (51) 195
Lundberg, L.E.R., see Koltzenburg, M. (51) 207
Lynch, S.A., see Gracely, R.H. (51) 175

Manabe, H., see Higa, K. (51) 111
Mann, K.V., see Nick, J.B. (51) 122
Mannheimer, C., see Widerström, E.G. (51) 281
Mariano, A.J., Jacobson, L., Chaney, E.F. and Chabal, C.
The simultaneous interview technique (SIT) and the codisciplinary model of chronic pain treatment (51) 119
Marlin, R., see Cott, A. (51) 49
Martin, B.R., see Lichtman, A.H. (51) 19
Matthies, B.K. and Franklin, K.B.J.
Formalin pain is expressed in decerebrate rats but not attenuated by morphine (51) 199
Maves, T.J., see Meller, S.T. (51) 317
McCarthy, R.J., see Tanck, E.N. (51) 313
McNeill, D.L., see Fu, Q.-G. (51) 91
Meller, S.T., Gebhart, G.F. and Maves, T.J.
Neonatal capsaicin treatment prevents the development of the thermal hyperalgesia produced in a model of neuropathic pain in the rat (51) 317
Meyer, R.A., Davis, K.D., Raja, S.N. and Campbell, J.N.
Sympathectomy does not abolish bradykinin-induced cutaneous hyperalgesia in man (51) 323
Miaskowski, C. and Levine, J.D.
Comments on the evaluation of drug interactions using isobolographic analysis and analysis of variance (51) 383
Mjellem-Joly, N., Lund, A., Berge, O.-G. and Hole, K.
Intrathecal co-administration of substance P and NMDA augments nociceptive responses in the formalin test (51) 195
Mollenholt, P., Post, C., Paulsson, I. and Rawal, N.
Intrathecal somatostatin in the guinea pig: effects on spinal cord blood flow, histopathology and motor function (51) 343
Muirden, N., see Ashby, M.A. (51) 153

Nahin, R.L., Hylden, J.L.K. and Humphrey, E.
Demonstration of dynorphin A 1-8 immunoreactive axons contacting spinal cord projection neurons in a rat model of peripheral inflammation and hyperalgesia (51) 135
Nashold, Jr., B.S., see Levitt, M. (51) 120
Nick, J.B., Mann, K.V. and Temple, A.R.
Comments on Ward et al., *PAIN*, 44 (1991) 151–155 (51) 122
Noda, B., see Higa, K. (51) 111

Olesen, J., see Bach, F.W. (51) 163
Ovelmen-Levitt, J., see Levitt, M. (51) 120

Paice, J.A., see Penn, R.D. (51) 261
Parkinson, W., see Cott, A. (51) 49
Paulsson, I., see Mollenholt, P. (51) 343
Pearce, S.A., see Edwards, L.C. (51) 267

Penn, R.D., Paice, J.A. and Kroin, J.S.
Reply to J. Devulder (51) 261
Penn, R.D., see Tanck, E.N. (51) 313
Plummer, J.L. and Gourlay, G.K.
Reply to the letter of Dr. Gebhart (51) 387
Post, C., see Mollenholt, P. (51) 343
Pozo, M.A., see Cervero, F. (51) 335
Price, D.D.
Reply to F. Cervero (51) 263
Price, D.D., see Wade, J.B. (51) 67
Prkachin, K.M.
Dissociating spontaneous and deliberate expressions of pain: signal detection analyses (51) 57
Prkachin, K.M.
The consistency of facial expressions of pain: a comparison across modalities (51) 297
Puke, M.J.C., see Xu, X.-J. (51) 145

Rafii, A., see Wade, J.B. (51) 67
Raja, S.N., see Meyer, R.A. (51) 323
Ramsay, D.S., Brown, A.C. and Woods, S.C.
Acute tolerance to nitrous oxide in humans (51) 367
Randich, A., see Thurston, C.L. (51) 349
Rawal, N., see Mollenholt, P. (51) 343
Roerig, S.C.
Comments on Tallarida and Miaskowski et al. (51) 382
Romano, J.M., see Jensen, M.P. (51) 273
Rosland, J.H., see Tjølsen, A. (51) 5
Rossitch, Jr., E., see Levitt, M. (51) 120
Rounsefell, B., see Ashby, M.A. (51) 153
Runciman, W.B., see Ashby, M.A. (51) 153

Salley, Jr., A.N., see Keefe, F.J. (51) 131
Sánchez, A., see Feria, M. (51) 101
Sand, T., see Bovim, G. (51) 43
Sandler, A.N., see Katz, J. (51) 123
Sato, S., see Higa, K. (51) 111
Schmidt, A.J.M., see Lousberg, R. (51) 75
Secher, N.H., see Bach, F.W. (51) 163
Secher, N.H., see Brennum, J. (51) 27
Sheidler, V.R., see Gregory, R.E. (51) 255
Smith, M., see Ashby, M.A. (51) 153
Smith, M.T., see Cramond, T. (51) 124
Smith, P.B., see Lichtman, A.H. (51) 19
Stewart, C., see Gellman, H. (51) 307
Stone, L., see Gellman, H. (51) 307
Svensson, B., see Kristensen, J.D. (51) 249
Swerdlow, B. and Dieter, J.N.I.
Reply to Dr. J. Christiansen (51) 126

Tallarida, R.J.
A further comment on testing for drug synergism (51) 381
Tanck, E.N., Kroin, J.S., McCarthy, R.J., Penn, R.D. and Ivankovich, A.D.
Effects of age and size on development of allodynia in a chronic pain model produced by sciatic nerve ligation in rats (51) 313
Temple, A.R., see Nick, J.B. (51) 122
Tennen, H., see Affleck, G. (51) 221
Thurston, C.L. and Randich, A.
Electrical stimulation of the subdiaphragmatic vagus in rats: inhibition of heat-evoked responses of spinal dorsal horn neurons and central substrates mediating inhibition of the nociceptive tail flick reflex (51) 349
Tjølsen, A., Berge, O.-G., Hunskaar, S., Rosland, J.H. and Hole, K.
The formalin test: an evaluation of the method (51) 5
Torebjörk, H.E., see Koltzenburg, M. (51) 207
Turner, J.A., see Jensen, M.P. (51) 273
Turner-Stokes, L., see Edwards, L.C. (51) 267

Urrows, S., see Affleck, G. (51) 221

Wade, J.B., Dougherty, L.M., Hart, R.P., Rafii, A. and Price, D.D.
A canonical correlation analysis of the influence of neuroticism and extraversion on chronic pain, suffering, and pain behavior (51) 67
Wall, P.D.
The placebo effect: an unpopular topic (51) 1
Ward, N.G. and Whitney, C.W.
Response to Drs. J. Nick, K. Mann and A. Temple (51) 123
Waters, R.L., see Gellman, H. (51) 307
Watson, C.P.N. and Evans, R.J.
The postmastectomy pain syndrome and topical capsaicin: a randomized trial (51) 375
Watt, J.A., see Cramond, T. (51) 124
Whitney, C.W., see Ward, N.G. (51) 123
Widerström, E.G., Åslund, P.G., Gustafsson, L.-E., Mannheimer, C., Carlsson, S.G. and Andersson, S.A.
Relations between experimentally induced tooth pain threshold changes, psychometrics and clinical pain relief following TENS. A retrospective study in patients with long-lasting pain (51) 281
Wiesenfeld-Hallin, Z., see Xu, X.-J. (51) 145
Wilkie, D.J., Keefe, F.J., Dodd, M.J. and Copp, L.A.
Behavior of patients with lung cancer: description and associations with oncologic and pain variables (51) 231
Williams, G.
Comments on Miaskowski et al., *Pain* 49 (1992) 137–144 (51) 383
Wilson, L., see LeResche, L. (51) 289
Woods, S.C., see Ramsay, D.S. (51) 367

Xu, X.-J., Puke, M.J.C. and Wiesenfeld-Hallin, Z.
The depressive effect of intrathecal clonidine on the spinal flexor reflex is enhanced after sciatic nerve section in rats (51) 145

Yaksh, T.L., see Yamamoto, T. (51) 329
Yamamoto, T. and Yaksh, T.L.
Effects of intrathecal capsaicin and an NK-1 antagonist, CP,96-345, on the thermal hyperalgesia observed following unilateral constriction of the sciatic nerve in the rat (51) 329